

03/27/98
JCS29 U.S. PTO

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (2/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

| | | |
|--|--|------------------------------------|
| UTILITY PATENT APPLICATION TRANSMITTAL <small>(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))</small> | Attorney Docket No. | 857-2 |
| | First Inventor or Application Identifier | Byung-Jun Song |
| | Title | FOLDING SYSTEM FOR A CUTTING BLADE |
| | Express Mail Label No. | EM401292116US |

| APPLICATION ELEMENTS <small>See MPEP chapter 600 concerning utility patent application contents.</small> | ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231 | |
|---|--|--|
| 1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) <small>(Submit an original and a duplicate for fee processing)</small> | 6. <input type="checkbox"/> Microfiche Computer Program (Appendix) | |
| 2. <input checked="" type="checkbox"/> Specification <small>[Total Pages: 18]</small> <small>(preferred arrangement set forth below)</small> <ul style="list-style-type: none">- Descriptive title of the Invention- Cross References to Related Applications- Statement Regarding Fed sponsored R & D- Reference to Microfiche Appendix- Background of the Invention- Brief Summary of the Invention- Brief Description of the Drawings (if filed)- Detailed Description- Claim(s)- Abstract of the Disclosure | 7. Nucleotide and/or Amino Acid Sequence Submission <small>(if applicable, all necessary)</small> <ul style="list-style-type: none">a. <input type="checkbox"/> Computer Readable Copyb. <input type="checkbox"/> Paper Copy (identical to computer copy)c. <input type="checkbox"/> Statement verifying identity of above copies | |
| 3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) <small>[Total Sheets: 5]</small> | ACCOMPANYING APPLICATION PARTS | |
| 4. Oath or Declaration <small>[Total Pages:]</small> <ul style="list-style-type: none">a. <input type="checkbox"/> Newly executed (original or copy)b. <input checked="" type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) <small>(for continuation/divisional with Box 17 completed)</small> <small>[Note Box 5 below]</small><ul style="list-style-type: none">i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). | 8. <input type="checkbox"/> Assignment Papers (cover sheet & document(s)) | |
| 5. <input checked="" type="checkbox"/> Incorporation By Reference <small>(useable if Box 4b is checked)</small> The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered to be part of the disclosure of the accompanying application and is hereby incorporated by reference therein. | 9. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input checked="" type="checkbox"/> Power of Attorney <small>(when there is an assignee)</small> | |
| | 10. <input type="checkbox"/> English Translation Document <small>(if applicable)</small> | |
| | 11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations | |
| | 12. <input type="checkbox"/> Preliminary Amendment | |
| | 13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <small>(Should be specifically itemized)</small> | |
| | 14. <input type="checkbox"/> Small Entity Statement(s) <input checked="" type="checkbox"/> Statement filed in prior application, Status still proper and desired <small>(PTO/SB/09-12)</small> | |
| | 15. <input type="checkbox"/> Certified Copy of Priority Document(s) <small>(if foreign priority is claimed)</small> | |
| | 16. <input type="checkbox"/> Other: | |
| * NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28). | | |
| 17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment: <input checked="" type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No: 08 / 668,379 Prior application information: Examiner Crane, D. Group / Art Unit: 3201 | | |
| 18. CORRESPONDENCE ADDRESS | | |
| <input type="checkbox"/> Customer Number or Bar Code Label <small>(Insert Customer No. or Attach bar code label here)</small> or <input checked="" type="checkbox"/> Correspondence address below | | |
| Name | Frank Chau | |
| Address | DILWORTH & BARRESE 333 Earle Ovington Blvd. | |
| City | Uniondale | State NY Zip Code 11553 |
| Country | USA | Telephone 516-228-8484 Fax 516-228-8516 |
| Name (Print/Type) | Frank Chau | Registration No. (Attorney/Agent) 34,136 |
| Signature | | Date 3/27/98 |

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTALPatent fees are subject to annual revision on October 1.
These are the fees effective October 1, 1997.Small Entity payments must be supported by a small entity statement,
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.
See 37 C.F.R. §§ 1.27 and 1.28

TOTAL AMOUNT OF PAYMENT (\$ 395.00

Complete if Known

| | |
|----------------------|----------------|
| Application Number | |
| Filing Date | March 27, 1998 |
| First Named Inventor | Byung-Jun Song |
| Examiner Name | Crane, D. |
| Group / Art Unit | 3201 |
| Attorney Docket No. | 857-2 |

METHOD OF PAYMENT (check one)

- 1.
- ☐
- The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

| | |
|------------------------|---------|
| Deposit Account Number | 04-1121 |
| Deposit Account Name | |

☒ Charge Any Additional Fee Required Under 37 C.F.R. §§ 1.16 and 1.17
 ☐ Charge the Issue Fee Set in 37 C.F.R. § 1.18 at the Mailing of the Notice of Allowance

- 2.
- ☒
- Payment Enclosed:

☒ Check
 ☐ Money Order
 ☐ Other
FEE CALCULATION**1. BASIC FILING FEE**

| Large Entity Fee Code (\$) | Small Entity Fee Code (\$) | Fee Description | Fee Paid |
|----------------------------|----------------------------|------------------------|-----------------|
| 101 790 | 201 395 | Utility filing fee | 395 |
| 106 330 | 206 165 | Design filing fee | |
| 107 540 | 207 270 | Plant filing fee | |
| 108 790 | 208 395 | Reissue filing fee | |
| 114 150 | 214 75 | Provisional filing fee | |
| SUBTOTAL (1) | | | (\$ 395) |

2. EXTRA CLAIM FEES

| Total Claims | Extra Claims | Fee from below | Fee Paid |
|--------------------|--------------|----------------|----------|
| 1 | -20** = 0 | 11 | 0 |
| 9 | -3** = 0 | 41 | 0 |
| Multiple Dependent | | 135 | 0 |

**or number previously paid, if greater; For Reissues, see below

| Large Entity Fee Code (\$) | Small Entity Fee Code (\$) | Fee Description |
|----------------------------|----------------------------|--|
| 103 22 | 203 11 | Claims in excess of 20 |
| 102 82 | 202 41 | Independent claims in excess of 3 |
| 104 270 | 204 135 | Multiple dependent claim, if not paid |
| 109 82 | 209 41 | ** Reissue independent claims over original patent |
| 110 22 | 210 11 | ** Reissue claims in excess of 20 and over original patent |

SUBTOTAL (2) (\$ -0-**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

| Large Entity Fee Code (\$) | Small Entity Fee Code (\$) | Fee Description | Fee Paid |
|----------------------------|----------------------------|--|--------------|
| 105 130 | 205 65 | Surcharge - late filing fee or oath | |
| 127 50 | 227 25 | Surcharge - late provisional filing fee or cover sheet. | |
| 139 130 | 139 130 | Non-English specification | |
| 147 2,520 | 147 2,520 | For filing a request for reexamination | |
| 112 920* | 112 920* | Requesting publication of SIR prior to Examiner action | |
| 113 1,840* | 113 1,840* | Requesting publication of SIR after Examiner action | |
| 115 110 | 215 55 | Extension for reply within first month | |
| 116 400 | 216 200 | Extension for reply within second month | |
| 117 950 | 217 475 | Extension for reply within third month | |
| 118 1,510 | 218 755 | Extension for reply within fourth month | |
| 128 2,060 | 228 1,030 | Extension for reply within fifth month | |
| 119 310 | 219 155 | Notice of Appeal | |
| 120 310 | 220 155 | Filing a brief in support of an appeal | |
| 121 270 | 221 135 | Request for oral hearing | |
| 138 1,510 | 138 1,510 | Petition to institute a public use proceeding | |
| 140 110 | 240 55 | Petition to revive - unavoidable | |
| 141 1,320 | 241 660 | Petition to revive - unintentional | |
| 142 1,320 | 242 660 | Utility issue fee (or reissue) | |
| 143 450 | 243 225 | Design issue fee | |
| 144 670 | 244 335 | Plant issue fee | |
| 122 130 | 122 130 | Petitions to the Commissioner | |
| 123 50 | 123 50 | Petitions related to provisional applications | |
| 126 240 | 126 240 | Submission of Information Disclosure Stmt | |
| 581 40 | 581 40 | Recording each patent assignment per property (times number of properties) | |
| 145 790 | 245 395 | Filing a submission after final rejection (37 CFR 1.129(a)) | |
| 149 790 | 249 395 | For each additional invention to be examined (37 CFR 1.129(b)) | |
| Other fee (specify) _____ | | | |
| Other fee (specify) _____ | | | |
| SUBTOTAL (3) | | | (\$) |

* Reduced by Basic Filing Fee Paid

SUBMITTED BYTyped or Printed Name **Frank Chau**

Signature

Date

3/27/98

Complete (if applicable)

Reg. Number

34,136

Deposit Account User ID

04-1121

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

FOLDING SYSTEM FOR A CUTTING BLADE

CROSS-REFERENCE TO RELATED APPLICATIONS

This is a continuation application of copending U.S. Application Serial No. 08/668,379, filed June 21, 1996, which claims the benefit of Korean Application No. 95-16975 filed June 22, 1995.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to a folding system of a cutting blade used in forming a folding line on a sheet matter so that the sheet matter, such as paper or plastic, etc., may be made into a predetermined shape, and more particularly to a folding system of the cutting blade being used so that cutting and folding functions associated with the cutting blade can be performed in one process.

2. Description of the Related Art

Generally, the cutting blade is attached to a pattern for use in pressing a folding or a cutting line on plate matters such as paper, canvas, leather, plastic, etc. The plate matters with such pressed lines can be used in a folded shape like a box.

Accordingly, in order to assemble and process the plate matter into a predetermined box shape with the cutting blade, it is necessary that the cutting blade is folded in a shape suitable to forming the processing line in the box shape.

Conventional art for the folding device of a cutting blade is disclosed, for example, in Japan Patent No. 1988-309328 and No. 1990-20619. In the conventional art, however, a folded member used as a cutting blade is constructed by a rotary body that converts only a straight line movement into an orthogonal direction against the folded member on an end part of the folded member, or performs only a revolving movement centered about one point. Therefore, a disadvantage along with the use of the prior art cutting blade assemblies is that the folded angle of a processed member is limited to a single range of motion. Also, since two discrete functions are required, namely after a cutting work in separated places, then moving it into a folding device individually, and then the folding work is performed, or after the folding work, then moving it into a cutting device one by one, and then the cutting work is performed, additional time and labor are required, and the overall efficiency of the process decreases.

SUMMARY OF THE INVENTION

Therefore, to solve the above problem, it is an object of the present invention to provide a system for folding a cutting blade to improve a work efficiency and a productivity, by continuously performing all work elements needed in the cutting and folding works of the cutting blade provided in a sheet matter molding, in one work line, the system comprising:

a transferring unit for transferring the cutting blade;

cutting means, situated between the transferring unit and a guide nozzle, for cutting the cutting blade, which is supplied from the transferring unit, in a length substantially corresponding to the sheet material molding configuration, wherein a cutting tip is formed on the cutting blade;

5 a guide member of a hollow shape, interposed the cutting means and a folding means and configured to connect the cutting means and the folding means, said guide member having a passage for guiding the cutting blade through the cutting means to the folding means;

10 folding means, supported such that it may be revolved and moved in a straight line direction to apply a force against the cutting blade passing through the guide member, the folding means positioned adjacent the guide member, and for folding the cutting blade to a predetermined angle, the folding means including at least two folding members;

15 first driving means configured to engage the folding means, for revolving and driving the folding means against the cutting blade; and

second driving means configured to engage the folding means and move at least one of the folding members of the folding means to a position adjacent the cutting blade, prior to driving the first driving means.

20

BRIEF DESCRIPTION OF THE DRAWINGS

The preferred embodiments are described with reference to the drawings wherein:

Fig. 1 is a block diagram for a folding system of a cutting blade according to the present invention;

Fig. 2 is a detailed perspective view showing a guiding unit and a folding unit of the cutting blade shown in Fig 1;

Fig. 3 is a separated perspective view showing a unit "A" separated from Fig. 2;

Fig. 4 is a side view shown from a direction "B" of an arrow marking of Fig. 2;

Fig. 5 is a cross-sectional view taken along a line I-I of Fig. 2; and

Fig. 6 is a longitudinal sectional view taken along a line II-II of Fig. 5.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A preferred embodiment of the present invention will be described below in more detail with reference to the accompanying drawings.

Fig. 1 shows a block diagram of a folding system according to the present invention. In Fig. 1, the folding system of the cutting blade comprises a transferring unit 10 for transferring the cutting blade of a roll shape, a cutting molding unit 100 for cutting and processing the transferred cutting blade in a length suitable to a sheet material molding

(not shown), a guiding unit 200, positioned between the cutting molding unit 100 and a folding unit 300 for the cutting blade so as to be connected mutually, for stably guiding the cutting blade which is passed through cutting molding unit 100 to folding unit 300, the folding unit 300 positioned adjacent to the guiding unit 200, for folding the cutting blade transferred through the guiding unit 200 with a predetermined angle, and a driving unit 400 for driving the folding unit 300, and thus a process work of the cutting blade provided to a sheet material molding is performed in succession. The detailed construction and operation of the above embodiment are explained below. The above cutting molding unit 100 is applied from Japan Patent No. 80607 entitled "Multi-purpose Cutter of a Cutting Blade for Die Cutter" filed by the present applicant on Dec. 11, 1991 and incorporated by reference herein. A detailed explanation for the cutting molding unit is therefore omitted below.

Fig. 2 is a detailed perspective view showing only a portion of the guiding unit associated with the cutting blade and the folding unit, shown schematically in Fig. 1. Fig. 3 is an exploded perspective view showing only a unit "A" separated from Fig. 2. Fig. 4 is a side view shown from a direction "B" of an arrow marking of Fig. 2. The guiding unit 200 is constructed by a guide nozzle 201 of a hollow structure configured and dimensioned to stably transfer a cutting blade 500 passed through the cutting molding unit to the folding unit 300.

Referring now to FIG. 2, guide nozzle 201 has a guiding passage 203 of a size such that cutting blade 500 can pass through freely, and two openings situated near the cutting molding unit 100 and the folding unit 300, respectively. The guide nozzle 201 is configured so that the cutting blade 500 may be moved together with a cutting tip 503 of a cutting portion 501.

Referring now to FIG. 3, folding unit 300 includes a fixing body 310 connected to folding and rotary bodies 320a and 320b for the folding, which are set on substantially rectangular shaped supporting frames 301a and 301b. The supporting frames 301a and 301b are situated spaced apart with an interval therebetween wherein the guide nozzle 201 can be situated. The fixing body 310 for the folding function is constructed by a folding body 313 having a guiding entrance 311 of a size through which the cutting blade 500 can be passed, and by annular support portions 315a and 315b formed on both ends of the folding body 313. The guiding entrance 311 of the folding body 313 is connected with the guiding passage 203 of the guide nozzle 201 such that the cutting blade 500 may enter inside the guiding entrance 311 freely. An end side portion of the guiding entrance 311 is preferably a slant side 312 to enhance the folding of the cutting blade 500.

The annular support portions 315a and 315b are provided to fixedly attach the folding body 313 to supporting frames 301a and 301b. As described later in Fig. 6 in detail, the annular support portions 315a and 315b include guiding slots 316a and 316b of a round shape, and round housing units 318a and 318b for housing rotary bodies 320a and 320b which may be rotated to facilitate the folding function. The rotary bodies 320a and

320b are configured to be rotatably housed within the round housing units 318a and 318b arranged on both sides of the fixing body 310. For a smooth revolving operation of the rotary bodies 320a and 320b, it is preferable to set bearings 340a and 340b on the inside circumference portion of the housing units 318a and 318b, as shown in Fig. 6. The rotary
5 bodies 320a and 320b have guide holes 323a and 323b pierced therein and are configured to contact with the guide slots 316a and 316b.

The guide holes 323a and 323b are provided to insertably receive a folding member 330 to facilitate movement thereof, and are configured and dimensioned corresponding to a cross-sectional shape of the folding member 330. Although an
10 example of the guide holes 323a and 323b is shown in the figures wherein each guide hole has a folding member set therein, it is preferable that only one folding member is set at a given time during operation. Referring now to Fig. 6, the folding member 330 is dimensioned to connect the rotary bodies 320a and 320b to each other while being positioned on the outer sides of supporting frames 301a and 301b. Accordingly, the
15 folding member 330 is inserted through guide hole 323a of rotary body 320a, passes through a lateral side of the fixing body 310, and is inserted into guide hole 323b inside of rotary body 320b and is capable of being moved upwards and downwards. The folding member 330 inserted for mutual connection of rotary bodies 320a and 320b is provided for the folding work of the cutting blade 500, revolving together with the rotary bodies

320a and 320b. When the folding work is not being performed, the folding member 330 is completely apart from folding body 313 and is moved towards an upper side. These operations are performed by the driving unit 400 mentioned later.

Although two folding members 330 are shown in the drawings, for
5 exemplary purposes, only one can be set.

Referring now to FIGS. 2 and 4, driving unit 400 includes a first driving
unit 410 provided to revolve the rotary bodies 320a and 320b and a second driving unit
420 provided to move folding member 330 upwards and downwards from the folding
body 313. The first driving unit 410 includes first toothed portions 411a and 411b which
10 are fixed at both ends of a rotating shaft 418 which is rotatably within the supporting
frames 301a and 301b. Second toothed portions 413a and 413b which are set on the outer
circumference surface of the revolving bodies 320a and 320b are configured to mesh with
the first toothed portions 411a and 411b. A servo motor M is operatively connected to
the rotating shaft 418. The second driving unit 420 is a cylinder 421 connected to one
15 end of the folding member 330 to be moved upwards and downwards for the purpose of
performing an expansion operation. As an operating source of the cylinder 421 any one of
either oil-hydraulic pressure or air pressure can be used.

Fig. 5 is a cross-sectional view taken along a line I-I of Fig. 2. Fig. 6 is a
longitudinal sectional view taken along a line II-II of Fig. 5. Folding member 330 has a
20 substantially triangular shape, which enables the cutting blade 500 to be folded easily even
without applying an immoderate force. To fold the cutting blade 500 easily, an application

of any other shape excepting the triangulate shape doesn't matter. On any one side of the guiding entrance 311 of the fixing body 313, which is supported to enable passing of the cutting blade 500, a fixation hole 340 is set. In the inside of the fixation hole 340, a steel wire spring 350 is set with one portion jutting out to a center position of the guiding entrance 311 through which the cutting blade 500 passes.

The steel wire spring 350 elastically supports the cutting blade 500 as it passes through the guiding entrance 311, and moves the cutting blade 500 within a predetermined channel, thereby heightening a precision of the folding work. Also, by setting a magnetic substance instead of the steel wire spring 350, the same effect as the steel wire spring can be achieved.

Though Fig. 5 shows, as an example, a structure in which the steel wire spring 350 is set on any one side of the guiding entrance 311, it is contemplated that it may be positioned on both sides. As shown in Fig. 6, the folding member 330 is extended when the cylinder 421 is driven, and is inserted into the guide holes 323a and 323b inside rotary bodies 320a and 320b, which are formed in the housing units 318a and 318b of the round shape of the fixing body 310 for rotational movement therein. When the rotary bodies 320a and 320b are rotated, the folding member 330 is integrally rotated along the guide slots 316a and 316b together with the folding member 330.

An operation embodiment of the folding system and an effect according to the present invention with the construction as above-mentioned are re-explained in detail referring to Figs. 1 to 6.

The cutting blade 500 wound in a roll shape is transferred to the folding unit 300, which performs the folding work, by the transferring unit 10, having a transfer roller, through the cutting molding unit 100 and the guide nozzle 201. At this time, the cutting molding unit 100 performs a cutting work for cutting the cutting blade 500, passing through the cutting molding unit 100, in the length necessary for the sheet matter molding. Herewith, the cutting tip 503 is kept and maintained on the cutting blade 500 without detachment from the cutting portion 501 of the cutting blade 500. This is to prevent damage to blade unit 505 which may be caused by a collision during a transfer of the cutting blade 500 through the guide nozzle 201. The cutting molding unit 100 is applied from Japan Patent No. 80607 issued to the present applicant, and, therefore, the detailed operating description thereof is omitted.

Even if the cutting tip 503, formed on the cutting blade 500, is detached from the cutting molding unit 100, the cutting tip 503 passes through the guide nozzle 201 continuously and thereby there is no cause for its detachment. As shown in Figs. 2 and 4, the cutting blade 500 passed through the guide nozzle 201 pierces through the guiding entrance 311 of the fixing body 313, and then goes out to the outer side of the supporting frames 301a and 301b.

The cutting blade 500 passing through the guiding entrance 311 contacts with the steel wire spring 350 as shown in Fig. 5, but the steel wire spring 350 has an elastic force, so it doesn't become an obstacle to pass the cutting blade 500 at all. The steel wire spring 350 is provided to support the cutting blade 500 with the elastic force to

dampen or prevent a fluctuation in the cutting blade 500 which may be caused by a sudden stop of the transfer roller 10. The cutting blade 500 passed through the guiding entrance 311 is then folded in the shape suitable to a molding of the sheet material. In folding the cutting blade 500, the transfer roller 10 stops and the transferring work of the cutting
5 blade 500 is temporarily in a stopped state. At the same time as the stop of the transfer roller 10, the second driving unit 420 between the driving units 400 operates first.

If only one cylinder 421 out of the second driving unit 420 falls in the operation, the second driving unit 420 remains situated in a position as shown in Fig. 2. The folding member 330 of one body with the cylinder 421 is inserted into the guide holes
10 323a and 323b inside of the rotary bodies 320a and 320b as shown in Figs. 4 and 6, and is also situated on any one side of the fixing body 313 adjacent to the cutting blade 500. The guide holes 323a and 323b are formed on the same position, therefore the folding member 330 is inserted naturally when the cylinder 421 performs the falling operation. When the folding member 330 moved and is completed in moving to the position adjacent the
15 cutting blade 500, the first driving unit 410 operates. The first driving unit 410 is rotated by driving the servo motor M. By driving the servo motor M, the first toothed portions 411a and 411b are simultaneously rotated by means of the rotating shaft 418. By a meshing operation between the first toothed portions 411a and 411b and the second toothed portions 413a and 413b, the revolving bodies 320a and 320b are rotated about a
20 supporting point of the fixing body 310. When the revolving bodies 320a and 320b are rotated, the folding member 330 is also rotated. That is, the folding member 330 is

rotated and moved around a periphery of the fixing body 313 along the guide slot 316b from any one side of the fixing body 313 for the folding operation as shown in Fig. 5. At this time, the moved folding member 330 contacts with the cutting blade 500 which extends through the guiding entrance 311, thereby the cutting blade 500 is naturally folded by a rotating force of the folding member 330 along a slant face 312 of the fixing body 313. Meanwhile, the cutting tip 503 put on the cutting blade 500 is automatically separated by a tare and is collected when the cutting blade 500 extends through the outside of the guiding entrance 311.

Since the servo motor M stops the operation when the cutting blade 500 completes the folding, an immoderate rotation force of the rotary bodies 320a and 320b connected with the folding member 330 is not required. When the folding work of the cutting blade 500 is completed, the folding member 330 returns to an original position by an operation of the cylinder 421 of the second driving unit 420 as shown in Fig. 2. When the transfer roller 10 begins to operate again, the cutting blade 500 moves to the outer side of the guiding entrance 311 of the fixing body 313. While in that position, if a need exists to fold a predetermined unit of the cutting blade 500 in a direction opposite that which was described above, an operation of the transfer roller 10 stops, and at the same time the other folding member 330 falls and moves, and then the same steps as discussed above are repeated. As long as the cutting blade 500 is supplied, it may continuously be formed into any desired configuration. In the above-mentioned embodiment, though each step is

explained separately for the understanding of the step for the folding work of the cutting blade, all processes such as a supply, a cutting, a folding work of the cutting blade, etc. can be performed by an automation controlled by a computer, etc.

5 As afore-mentioned, according to the present invention, all works necessary for the cutting and the folding of the cutting blade in the shape corresponding to the sheet material molding are performed in succession by one process with a unified construction, thereby resulting in an improvement of the cutting and folding works of the cutting blade and a productivity increase.

10 While only certain embodiments of the invention have been specifically described herein, it will apparent that numerous modifications may be made thereto without departing from the spirit and scope of the invention.

WHAT IS CLAIMED IS:

1. A system for folding a cutting blade, which is used for sheet material molding, in a shape conforming to a desired sheet material molding configuration, the system comprising:

5 a transferring unit for transferring the cutting blade;

cutting means, situated between said transferring unit and a guide nozzle, for cutting the cutting blade, which is supplied from said transferring unit, in a length substantially corresponding to the sheet material molding configuration, wherein a cutting tip is preserved on the cutting blade;

10 a guide member of a hollow shape, interposed said cutting means and a folding means and configured to connect said cutting means and the folding means, said guide member having a passage for guiding the cutting blade through the cutting means to the folding means;

15 folding means, supported such that it may be revolved and moved in a straight line direction for applying a force against the cutting blade passing through the guide member, the folding means positioned adjacent said guide member, and for folding the cutting blade to a predetermined angle, the folding means including at least two folding members;

20 first driving means configured to engage said folding means, for revolving and driving the folding means against the cutting blade; and

second driving means configured to engage said folding means and move at least one of the folding members of said folding means to a position adjacent the cutting blade, prior to driving the first driving means;

wherein said folding means comprises a supporting frame comprised of at least two plate shaped members, the guide member positioned between the at least two plate shaped members; a fixing body having a predetermined length and a guide entrance operatively connected with said guide member, wherein ends of the fixing body are rotatably fixed to the supporting frame, the fixing body having a guide slot formed therein for insertably receiving a folding member; and a pair of rotary bodies, rotatably connected to the ends of the fixing body for revolving the folding members, said pair of rotary bodies having a pair of guide holes formed therein for insertably receiving the folding members.

2. The system for folding a cutting blade as claimed in claim 1, wherein the at least two folding members having a substantially triangular cross-section.

3. The system for folding a cutting blade as claimed in claim 1, wherein said guide entrance further comprises supporting means for moving the cutting blade in a predetermined channel.

4. The system for folding a cutting blade as claimed in claim 3, wherein said supporting means comprises an elastic member.

5. The system for folding a cutting blade as claimed in claim 3,
wherein said supporting means comprises a magnetic substance.

6. The system for folding a cutting blade as claimed in claim 1,
5 wherein said first driving means comprises:
a first toothed portion set on the pair of rotary bodies;
a second toothed portion set on both ends of a rotating shaft installed on
the supporting frame, the second toothed portion configured to mesh with the first toothed
portion; and
10 a servo motor coupled to the rotating shaft for rotating the rotating shaft.

7. The system for folding a cutting blade as claimed in claim 1,
wherein said second driving means comprises a cylinder, direct-connected to the folding
members for moving the folding member into and out of engagement with the pair of
15 rotary bodies.

8. The system for folding a cutting blade as claimed in claim 1,
wherein said cutting tip of the cutting blade is detached in a folding work process of the
cutting blade.

20

9. The system for folding a cutting blade as claimed in claim 1, wherein the folding members are configured and dimensioned such that they are capable of connecting said pair of rotary bodies to each other through the guide holes of the pair of rotary bodies and the guide slots of the fixing body.

ABSTRACT

The present invention provides an unified folding system for processing in one work line all working processes needed in cutting and folding a cutting blade in a shape suitable to a sheet matter molding. A cutting blade supplied from a transferring unit of the cutting blade is cut in a length suitable to a sheet matter molding configuration in a cutting molding unit adjacent thereto, simultaneously the cutting tip used in cutting is transferred together with the cutting blade to a folding device side through a guide member set which is to be contacted with the cutting molding unit, the cutting blade transferred to the folding device is folded in a predetermined shape by a folding member which performs a going-straight movement and a rotating movement, and thereby, at this time, the cutting tip is detached outside by a tare. Accordingly, a working efficiency and a productivity in the cutting and folding of the cutting blade are improved and increased.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6



AS A BELOW NAMED INVENTOR, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe that I am the original, first and sole (if only one name is listed below), or an original, first and joint inventor (if plural names are listed below), of the subject matter which is claimed and for which a patent is sought on the invention entitled:

TITLE: FOLDING SYSTEM OF CUTTING BLADE

the specification of which either is attached hereto or otherwise accompanies this Declaration, or:

☒ was filed in the U.S. Patent & Trademark Office on June 21, 1996 under Express Mail Label No. EM599489104US (as Serial No. not yet assigned).

☐ and (if applicable) was amended on _____,

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability and to the examination of this application in accordance with Title 37 of the Code of Federal Regulations §1.56. I hereby claim foreign priority benefits under Title 35, U.S. Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT international application which designated at least one country other than the United States, or §119(e) of any United States provisional application(s), listed below and have also identified below any foreign applications for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

| (Application Number) | (Country) | (Day/Month/Year filed) | Priority Claimed: Yes [X] No [] |
|----------------------|-----------|------------------------|---------------------------------------|
| 95-16975 | Korea | June 22, 1995 | |
| _____ | _____ | _____ | Yes [] No [] |
| _____ | _____ | _____ | Yes [] No [] |
| _____ | _____ | _____ | Yes [] No [] |

I hereby claim the benefit under Title 35, U.S. Code, §120, of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of Title 35, U.S. Code, §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, The Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| (Application Serial Number) | (Filing Date) | (STATUS: patented, pending, abandoned) |
|-----------------------------|---------------|--|
| _____ | _____ | _____ |
| _____ | _____ | _____ |

I hereby appoint the following attorneys: PETER G. DILWORTH, Reg. No. 26,450; ROCCO S. BARRESE, Reg. No. 25,253; JOSEPH J. CATANZARO, Reg. No. 25,837; DAVID M. CARTER, Reg. No. 30,949; PAUL J. FARRELL, Reg. No. 33,494; PETER DELUCA, Reg. No. 32,978; ADRIAN T. CALDERONE, Reg. No. 31,746; GEORGE M. KAPLAN, Reg. No. 28,375; JEFFREY S. STEEN, Reg. No. 32,063; JOSEPH W. SCHMIDT, Reg. No. 36,920; RAYMOND E. FARRELL, Reg. No. 34,816; RUSSELL R. KASSNER, Reg. No. 36,183; FRANK CHAU, Reg. No. 34,136; ANTHONY J. NATOLI, Reg. No. 36,223; Reg. No. 37,311; DANIEL E. TIERNEY, Reg. No. 33,461; WALTER M. EGBERT, III, Reg. No. 37,317; CHRISTOPHER G. TRAINOR, Reg. No. 39,517; GLENN F. SAVIT, Reg. No. 37,437 and GEORGE LIKOUREZOS, Reg. No. 40,067, to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissue or re-examination application, with full power of appointment and with full power to substitute an associate attorney or agent, and to receive all patents which may issue thereon, and request that all correspondence be addressed to:

Frank Chau, Esq.

DILWORTH & BARRESE

333 Earle Ovington Boulevard

Uniondale, New York 11553

Area Code: 516-228-8484

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF FIRST OR SOLE INVENTOR: Byung-Jun SONG Citizenship Korea

Inventor's signature: B. J. Song Date: July 20, 1996
Residence & Post Office Address: 1209-1404, Jukong Apt., Chulsan-dong, Kwangmyung-city, Kyungki-do, Republic of Korea

FULL NAME OF SECOND JOINT INVENTOR: _____ Citizenship _____

Inventor's signature: _____ Date: _____
Residence & Post Office Address: _____

☐ Additional inventors are being named on separately number sheets attached hereto.